

TS



Overview

With its comfortable automatic swing away system, the new and improved Secabo TS7 transfer press provides a particularly large working space for easy alignment of the transfer objects. The large base plate with dimensions of 40cm x 50cm is placed in portrait orientation, which makes an exact positioning of elements and objects easier. The auto-open and auto-swing function of the TS7 allows even more flexible and more comfortable working. The Secabo TS7 is suitable for all common heat transfer methods and can be used in almost any area of transfer technology.

Features



Digital controller

Duration and temperature can easily be adjusted and monitored using the digital controller.



Large workspace

The heat press can be opened up to 100° to work easily and safely



Variable work pressure

The work pressure is easy to adjust – in each case matching the transfer object and procedure.



Safe working

The safety and quality of this device is constantly monitored – according to German safety standards.



Precise temperature distribution

The high-quality heat plate ensures an exact temperature distribution over the entire heating surface.



Low hysteresis

A state-of-the-art controller reduces the temperature fluctuations to a minimum, thus ensuring consistently good transfer results.

Technical Data

| | |
|--------------------------|--|
| dimensions | 64cm x 70cm x 58cm |
| working area | 40cm x 50cm |
| scope of delivery | heat press, power cord, english manual |
| pressure setting | Height adjustment base plate |
| max. downforce | 170 g/cm ² |
| max temperature | 225 °C |
| maximum time preset | 999 s |
| power supply | AC 230V / 50Hz - 60Hz, 1.8kW |
| environment | +5°C - +35°C / 30% - 70% relative humidity |
| weight without packaging | 75,00 kg |
| weight with package | 91,29 kg |
| Brand | Secabo |

Views



